BAZR2.MH13521 - Batteries, Standby - Component

Batteries, Standby - Component

C&D Trojan,C & D TECHNOLOGIES INC Inc.
200 Precision Dr
Horsham, PA 19044 United States

MH13521

Model	Rate Capacity, Ah	Rate Voltage, Vdc	Max Discharge Rate Amps	Max Discharge Rate Hr	Max Charge Rate Amps	Max Charge Rate Hr	Oper. Range/ Max Ambient °C	Battery Case Flame Rating	Enclosure Test Schedule	High-rate Discharge Test Current Amps
Lead calcium batteries										
MSE-1040	1040	2	-	-	-	-	-	V-2	-	-
MSE-1120	1120	2	-	-	-	-	-	V-2	-	-
MSE-1200	-	-	-	-	-	-	-	V-2	-	-
MSE-1360	1360	2	-	-	-	-	-	V-2	-	-
MSE-1440	1440	2	-	-	-	-	-	V-2	-	-
MSE-960	960	2	-	-	-	-	-	V-2	-	-
Sealed cell, lead-acid batteries with pressure release vents "AT Series"										
AT-07	350	2	-	-	-	-	-	V-0	-	-
AT-09	480	2	-	-	-	-	-	V-0	-	-
AT-11	600	2	-	-	-	-	-	V-0	-	-
AT-13	660	2	-	-	-	-	-	V-0	-	-
AT-15	840	2	-	-	-	-	-	V-0	-	-
AT-19	1080	2	-	-	-	-	-	V-0	-	-
AT-23	1320	2	-	-	-	-	-	V-0	-	-
AT-27	1560	2	-	-	-	-	-	V-0	-	-
AT-35	2040	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "AT-#P Series"										
AT-07P	345	2	-	-	-	-	-	V-0	-	-
AT-09P	480	2	-	-	-	-	-	V-0	-	-
AT-11P	600	2	-	-	-	-	-	V-0	-	-
AT-13P	660	2	-	-	-	-	-	V-0	-	-
AT-15P	840	2	-	-	-	-	-	V-0	-	-
AT-17P	920	2	-	-	-	-	-	V-0	-	-
AT-19P	1080	2	-	-	-	-	-	V-0	-	-

AT-21P	1150	2	-	-	-	-	-	V-0	-	-
AT-23P	1320	2	-	-	-	-	-	V-0	-	-
AT-25P	1380	2	-	-	-	-	-	V-0	-	-
AT-27P	1560	2	-	-	-	-	-	V-0	-	-
AT-29P	1605	2	-	-	-	-	-	V-0	-	-
AT-35P	2040	2	-	-	-	-	-	V-0	-	-
AT-39P	2180	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "ATL Series"										
ATL-07	295	2	-	-	-	-	-	V-0	-	-
ATL-09	390	2	-	-	-	-	-	V-0	-	-
ATL-11	490	2	-	-	-	-	-	V-0	-	-
ATL-15	685	2	-	-	-	-	-	V-0	-	-
ATL-19	880	2	-	-	-	-	-	V-0	-	-
ATL-23	1075	2	-	-	-	-	-	V-0	-	-
ATL-27	1270	2	-	-	-	-	-	V-0	-	-
ATL-35	1660	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "ATL-#P Series"										
ATL-07P	280	2	-	-	-	-	-	V-0	-	-
ATL-09P	375	2	-	-	-	-	-	V-0	-	-
ATL-11P	470	2	-	-	-	-	-	V-0	-	-
ATL-13P	560	2	-	-	-	-	-	V-0	-	-
ATL-15P	655	2	-	-	-	-	-	V-0	-	-
ATL-17P	750	2	-	-	-	-	-	V-0	-	-
ATL-19P	845	2	-	-	-	-	-	V-0	-	-
ATL-21P	935	2	-	-	-	-	-	V-0	-	-
ATL-23P	1030	2	-	-	-	-	-	V-0	-	-
ATL-25P	1125	2	-	-	-	-	-	V-0	-	-
ATL-27P	1220	2	-	-	-	-	-	V-0	-	-
ATL-29P	1310	2	-	-	-	-	-	V-0	-	-
ATL-35P	1595	2	-	-	-	-	-	V-0	-	-
ATL-37P	1595	2	-	-	-	-	-	V-0	-	-
ATL-39P	1780	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "HD Series"										
HD-1040	1040	2	-	-	-	-	-	V-0	-	-
HD-1260	1260	2	-	-	-	-	-	V-0	-	-
HD-1500	1500	2	-	-	-	-	-	V-0	-	-
HD-2000	2000	2	-	-	-	-	-	V-0	-	-

HD-350	350	2	-	-	-	-	-	V-0	-	-
HD-460	460	2	-	-	-	-	-	V-0	-	-
HD-580	580	2	-	-	-	-	-	V-0	-	-
HD-810	810	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "HDL Series"										
HDL-1075	1075	2	-	-	-	-	-	V-0	-	-
HDL-1270	1270	2	-	-	-	-	-	V-0	-	-
HDL-1700	1660	2	-	-	-	-	-	V-0	-	-
HDL-295	295	2	-	-	-	-	-	V-0	-	-
HDL-390	390	2	-	-	-	-	-	V-0	-	-
HDL-490	490	2	-	-	-	-	-	V-0	-	-
HDL-685	685	2	-	-	-	-	-	V-0	-	-
HDL-880	880	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "Liberty Series"										
C&D 2-1000LBT, C&D 2-1000H LBT, C&D 2-1000S LBT, C&D 2-1000 GEL, C&D 2-1000 G, CPS 2-1000, C&D2-1000NLBT, C&D 2-1000V LBT	1000	2	-	-	-	-	-	V-2	-	-
C&D 2-1200LBT, C&D 2-1200H LBT, C&D 2-1200S LBT, C&D 2-1200 GEL, C&D 2-1200 G, CPS 2-1200, C&D2-1200NLBT, C&D 2-1200V LBT	1200	2	-	-	-	-	-	V-2	-	-
C&D 2-1500LBT, C&D 2-1500H LBT, C&D 2-1500S LBT, C&D 2-1500 GEL, C&D 2-1500 G, CPS 2-1500, C&D2-1500NLBT, C&D 2-1500V LBT	1500	2	-	-	-	-	-	V-2	-	-
C&D 2-2000LBT, C&D 2-2000H LBT, C&D 2-2000S LBT, C&D 2-2000 GEL, C&D 2-2000 G, CPS 2-2000, C&D2-2000NLBT, C&D 2-2000V LBT	2000	2	-	-	-	-	-	V-2	-	-
C&D 2-200LBT, C&D 2-200H LBT, C&D 2-200S LBT, C&D 2-200 GEL, C&D 2-200 G, CPS 2-200, C&D2-200NLBT, C&D 2-100 LBT, C&D 2-150 LBT, C&D 2-200V LBT, C&D 2-150V LBT, C&D 2-100V LBT	200	2	-	-	-	-	-	V-2	-	-
C&D 2-2500LBT, C&D 2-2500H LBT, C&D 2-2500S LBT, C&D 2-2500 GEL, C&D 2-2500 G, CPS 2-2500, C&D2-2500NLBT, C&D 2-2500V LBT	2500	2	-	-	-	-	-	V-2	-	-
C&D 2-3000LBT, C&D 2-3000H LBT, C&D 2-3000S LBT, C&D 2-3000 GEL, C&D 2-3000 G, CPS 2-3000, C&D2-3000NLBT, C&D 2-3000V LBT	3000	2	-	-	-	-	-	V-2	-	-
C&D 2-300LBT, C&D 2-300H LBT, C&D 2-300S LBT, C&D 2-300 GEL, C&D 2-300 G, CPS 2-300, C&D2-300NLBT, C&D 2-300V LBT	300	2	-	-	-	-	-	V-2	-	-

C&D 2-400LBT, C&D 2-400H LBT, C&D 2-400S LBT, C&D 2-400 GEL, C&D 2-400 G, CPS 2-400, C&D2-400NLBT, C&D 2-400V LBT	400	2	-	-	-	-	-	V-2	-	-
C&D 2-500LBT, C&D 2-500H LBT, C&D 2-500S LBT, C&D 2-500 GEL, C&D 2-500 G, CPS 2-500, C&D2-500NLBT, C&D 2-500V LBT	500	2	-	-	-	-	-	V-2	-	-
C&D 2-600LBT, C&D 2-600H LBT, C&D 2-600S LBT, C&D 2-600 GEL, C&D 2-600 G, CPS 2-600, C&D2-600NLBT, C&D 2-600V LBT	600	2	-	-	-	-	-	V-2	-	-
C&D 2-800LBT, C&D 2-800H LBT, C&D 2-800S LBT, C&D 2-800 GEL, C&D 2-800 G, CPS 2-800, C&D2-800NLBT, C&D 2-800V LBT	800	2	-	-	-	-	-	V-2	-	-
XL4B-11	-	-	-	-	-	-	-	-	-	-
XL4B-13	-	-	-	-	-	-	-	-	-	-
XL4B-15	-	-	-	-	-	-	-	-	-	-
XL4B-17	-	-	-	-	-	-	-	-	-	-
XL4B-19	-	-	-	-	-	-	-	-	-	-
XL4B-21	-	-	-	-	-	-	-	-	-	-
XL4B-23	-	-	-	-	-	-	-	-	-	-
XL4B-25	-	-	-	-	-	-	-	-	-	-
XL4B-7	-	-	-	-	-	-	-	-	-	-
XL4B-9	-	-	-	-	-	-	-	-	-	-
Sealed cell, lead-acid batteries with pressure release vents "MSE Series"										
100LF05, 100LC05	229	2	-	-	-	-	-	V-2	-	-
100LF05FR, 100LC05FR	229	2	-	-	-	-	-	V-0	-	-
100LF07, 100LC07	344	2	-	-	-	-	-	V-2	-	-
100LF07FR, 100LC07FR	344	2	-	-	-	-	-	V-0	-	-
100LF09, 100LC09	459	2	-	-	-	-	-	V-2	-	-
100LF09FR, 100LC09FR	459	2	-	-	-	-	-	V-0	-	-
100LF11, 100LC11	573	2	-	-	-	-	-	V-2	-	-
100LF11FR, 100LC11FR	573	2	-	-	-	-	-	V-0	-	-
100LF13, 100LC13	688	2	-	-	-	-	-	V-2	-	-
100LF13FR, 100LC13FR	688	2	-	-	-	-	-	V-0	-	-
100LF15, 100LC15	803	2	-	-	-	-	-	V-2	-	-
100LF15FR, 100LC15FR	803	2	-	-	-	-	-	V-0	-	-
100LF17,100LC17	800	2	-	-	-	-	-	V-2	-	-
100LF17FR, 100LC17FR, 100LC17CR	800	2	-	-	-	-	-	V-0	-	-
100LF19, 100LC19	900	2	-	-	-	-	-	V-2	-	-

100LF19FR, 100LC19FR, 100LC19CR	900	2	-	-	-	-	-	V-0	-	-
100LF21, 100LC21	1000	2	-	-	-	-	-	V-2	-	-
100LF21FR,100LC21FR, 100LC21CR	1000	2	-	-	-	-	-	V-0	-	-
100LF23, 100LC23	1100	2	-	-	-	-	-	V-2	-	-
100LF23FR. 100LC23FR, 100LC23CR	1100	2	-	-	-	-	-	V-0	-	-
100LF25, 100LC25	1200	2	-	-	-	-	-	V-2	-	-
100LF25FR, 100LC25FR, 100LC25CR	1200	2	-	-	-	-	-	V-0	-	-
100LF27, 100LC27	1300	2	-	-	-	-	-	V-2	-	-
100LF27FR, 100LC27FR, 100LC27CR	1300	2	-	-	-	-	-	V-0	-	-
100LF29, 100LC29	1400	2	-	-	-	-	-	V-2	-	-
100LF29FR, 100LC29FR, 100LC29CR	1400	2	-	-	-	-	-	V-0	-	-
100LF31, 100LC31	1500	2	-	-	-	-	-	V-2	-	-
100LF31FR, 100LC31FR, 100LC31CR	1500	2	-	-	-	-	-	V-0	-	-
100LF33, 100LC33	1600	2	-	-	-	-	-	V-2	-	-
100LF33FR, 100LC33FR, 100LC33CR	1600	2	-	-	-	-	-	V-0	-	-
50LF05, 50LC05	124	2	-	-	-	-	-	V-2	-	-
50LF05FR, 50LC05FR	124	2	-	-	-	-	-	V-0	-	-
50LF07, 50LC07	186	2	-	-	-	-	-	V-2	-	-
50LF07FR, 50LC07FR	186	2	-	-	-	-	-	V-0	-	-
50LF09, 50LC09	248	2	-	-	-	-	-	V-2	-	-
50LF09FR, 50LC09FR	248	2	-	-	-	-	-	V-0	-	-
50LF11, 50LC11	310	2	-	-	-	-	-	V-2	-	-
50LF11FR, 50LC11FR	310	2	-	-	-	-	-	V-0	-	-
50LF13, 50LC13	372	2	-	-	-	-	-	V-2	-	-
50LF13FR, 50LC13FR	372	2	-	-	-	-	-	V-0	-	-
50LF15, 50LC15	434	2	-	-	-	-	-	V-2	-	-
50LF15FR, 50LC15FR	434	2	-	-	-	-	-	V-0	-	-
50LF17, 50LC17	496	2	-	-	-	-	-	V-2	-	-
50LF17FR, 50LC17FR	496	2	-	-	-	-	-	V-0	-	-
50LF19, 50LC19	558	2	-	-	-	-	-	V-2	-	-
50LF19FR, 50LC19FR	558	2	-	-	-	-	-	V-0	-	-
50LF21, 50LC21	618	2	-	-	-	-	-	V-2	-	-
50LF21FR, 50LC21FR	618	2	-	-	-	-	-	V-0	-	-
50LF23, 50LC23	682	2	-	-	-	-	-	V-2	-	-
50LF23FR, 50LC23FR	682	2	-	-	-	-	-	V-0	-	-
50LF25, 50LC25	742	2	-	-	-	-	-	V-2	-	-
50LF25FR, 50LC25FR	742	2	-	-	-	-	-	V-0	-	-

50LF27, 50LC27	806	2	-	-	-	-	-	V-2	-	-
50LF27FR, 50LC27FR	806	2	-	-	-	-	-	V-0	-	-
50LF29, 50LC29	868	2	-	-	-	-	-	V-2	-	-
50LF29FR, 50LC29FR	868	2	-	-	-	-	-	V-0	-	-
50LF31, 50LC31	930	2	-	-	-	-	-	V-2	-	-
50LF31FR, 50LC31FR	930	2	-	-	-	-	-	V-0	-	-
50LF33, 50LC33	992	2	-	-	-	-	-	V-2	-	-
50LF33FR, 50LC33FR	992	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "Orion Series"										
OR90-11	450	2	-	-	-	-	-	-	-	-
OR90-11FR	450	2	-	-	-	-	-	V-2	-	-
OR90-13	540	2	-	-	-	-	-	-	-	-
OR90-13FR	540	2	-	-	-	-	-	V-2	-	-
OR90-15	630	2	-	-	-	-	-	-	-	-
OR90-15FR	630	2	-	-	-	-	-	V-2	-	-
OR90-17	720	2	-	-	-	-	-	-	-	-
OR90-17FR	720	2	-	-	-	-	-	V-2	-	-
OR90-19	810	2	-	-	-	-	-	-	-	-
OR90-19FR	810	2	-	-	-	-	-	V-2	-	-
OR90-21	900	2	-	-	-	-	-	-	-	-
OR90-21FR	900	2	-	-	-	-	-	V-2	-	-
OR90-23	990	2	-	-	-	-	-	-	-	-
OR90-23FR	990	2	-	-	-	-	-	V-2	-	-
OR90-25	1080	2	-	-	-	-	-	-	-	-
OR90-25FR	1080	2	-	-	-	-	-	V-2	-	-
OR90-27	1170	2	-	-	-	-	-	-	-	-
OR90-27FR	1170	2	-	-	-	-	-	V-2	-	-
OR90-9	360	2	-	-	-	-	-	-	-	-
OR90-9FR	360	2	-	-	-	-	-	V-2	-	-
Sealed cell, lead-acid batteries with pressure release vents "RHD Series"										
3-RHD-420	420	6	-	-	-	-	-	-	-	-
3-RHD-440	420	6	-	-	-	-	-	-	-	-
3-RHD-600	600	6	-	-	-	-	-	-	-	-
4-RHD-240	240	8	-	-	-	-	-	-	-	-
4-RHD-250	240	8	-	-	-	-	-	-	-	-
4-RHD-300	300	8	-	-	-	-	-	-	-	-
4-RHD-315	300	8	-	-	-	-	-	-	-	-

4-RHD-420	420	8	-	-	-	-	-	-	-	-
4-RHD-440	420	8	-	-	-	-	-	-	-	-
4-RHD-600	600	8	-	-	-	-	-	-	-	-
6-RHD-180	180	12	-	-	-	-	-	-	-	-
6-RHD-190	180	12	-	-	-	-	-	-	-	-
6-RHD-240	240	12	-	-	-	-	-	-	-	-
6-RHD-250	240	12	-	-	-	-	-	-	-	-
6-RHD-300	300	12	-	-	-	-	-	-	-	-
6-RHD-315	300	12	-	-	-	-	-	-	-	-
6-RHD-420	420	12	-	-	-	-	-	-	-	-
6-RHD-440	420	12	-	-	-	-	-	-	-	-
RHD-190	190	2	-	-	-	-	-	V-0	-	-
RHD-250	250	2	-	-	-	-	-	V-0	-	-
RHD-315	315	2	-	-	-	-	-	V-0	-	-
RHD-440	440	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "RHDL Series"										
3-RHDL-375	375	6	-	-	-	-	-	-	-	-
3-RHDL-500	500	6	-	-	-	-	-	-	-	-
4-RHDL-215	215	8	-	-	-	-	-	-	-	-
4-RHDL-270	270	8	-	-	-	-	-	-	-	-
4-RHDL-375	375	8	-	-	-	-	-	-	-	-
4-RHDL-500	500	8	-	-	-	-	-	-	-	-
6-RHDL-160	160	12	-	-	-	-	-	-	-	-
6-RHDL-215	215	12	-	-	-	-	-	-	-	-
6-RHDL-270	270	12	-	-	-	-	-	-	-	-
6-RHDL-375	375	12	-	-	-	-	-	-	-	-
RHDL-160	160	2	-	-	-	-	-	V-0	-	-
RHDL-215	215	2	-	-	-	-	-	V-0	-	-
RHDL-270	270	2	-	-	-	-	-	V-0	-	-
RHDL-375	375	2	-	-	-	-	-	V-0	-	-
Sealed cell, lead-acid batteries with pressure release vents "SHC"										
SHC 2-300, UPS 2-1020 MSE, MSE2-100, MSE2-200, MSE2-300, MSE 2V 100Ah, MSE 2V 200Ah, UPS12-1000MSE 2V 300Ah	300	2	-	-	-	-	-	V-0	-	-
SHC 2-400, UPS 2-1350 MSE, MSE2-400, MSE 2V 400Ah	400	2	-	-	-	-	-	V-0	-	-
SHC 2-500, UPS 2-1560 MSE, MSE2-500, MSE 2V 500Ah	500	2	-	-	-	-	-	V-0	-	-

SHC 2-600, UPS 2-1800 MSE, MSE2-600, MSE 2V 600Ah	600	2	-	-	-	-	-	V-0	-	-

Marking: Company name and model designation and the Recognized Component Mark, .

并不是所有出现在本数据库中的公司名称和产品都满足了UL 跟踪检验服务的要求。只有带有 UL 标志的产品，才应该被视为经过UL认证，并满足UL 跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经 UL 允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明： "©2023 UL LLC."