BAZR2.MH11577 - Batteries, Standby - Component

Batteries, Standby - Component

C&D Trojan,C & D TECHNOLOGIES INC Inc.
200 Precision Dr
Horsham, PA 19044 United States

MH11577

Model	Rate Capacity, Ah	Rate Voltage, Vdc	Max Discharge Rate Amps	Max Discharge Rate Hr	Max Charge Rate Amps	Max Charge Rate Hr	Oper. Range/ Max Ambient °C	Battery Case Flame Rating	Enclosure Test Schedule	High-rate Discharge Test Current Amps
Sealed cell, lead acid batteries with pressure release vents "Guardsman Series"										
12G-225	120	12	-	-	-	-	-	-	-	-
12G-250	134	12	-	-	-	-	-	-	-	-
12G-325	174	12	-	-	-	-	-	-	-	-
12G-350	188	12	-	-	-	-	-	-	-	-
12G-400	214	12	-	-	-	-	-	-	-	-
2G-2400	1220	2	-	-	-	-	-	-	-	-
4G-1200	610	4	-	-	-	-	-	-	-	-
6G-800	428	6	-	-	-	-	-	-	-	-
PPS2-2400	1220	2	-	-	-	-	-	-	-	-
PPS4-1200	610	4	-	-	-	-	-	-	-	-
PPS6-800	428	6	-	-	-	-	-	-	-	-
Sealed cell, lead acid batteries with pressure release vents "Liberty 100 Series"										
FAM12-170 (b)	150	12	-	-	-	-	-	V-0	-	-
LS10-100 (b)	100	10	-	-	-	-	-	V-0	-	-
LS10-25 (b)	25	10	-	-	-	-	-	V-0	-	-
LS12-100 (b)	100	12	-	-	-	-	-	V-0	-	-
LS12-25 (b)	25	12	-	-	-	-	-	V-0	-	-
LS12-55 (b)	55	12	-	-	-	-	-	V-0	-	-
LS12-80 (b)	80	12	-	-	-	-	-	V-0	-	-
LS2-300 (b)	300	2	-	-	-	-	-	V-0	-	-
LS2-600 (b)	600	2	-	-	-	-	-	V-0	-	-
LS4-200 (b)	200	4	-	-	-	-	-	V-0	-	-
LS4-300 (b)	300	4	-	-	-	-	-	V-0	-	-
LS4-50 (b)	50	4	-	-	-	-	-	V-0	-	-

Feedback

LS6-125 (b), FA-12-125 (b)	125	6	-	-	-	-	-	V-0	-	-
LS6-200 (b)	200	6	-	-	-	-	-	V-0	-	-
LS6-50 (b)	50	6	-	-	-	-	-	V-0	-	-
Sealed cell, lead acid batteries with pressure release vents "Liberty LS Series"										
LS10-100 (a)	100	10	-	-	-	-	-	V-0	-	-
LS10-25 (a)	25	10	-	-	-	-	-	V-0	-	-
LS12-100 (a)	100	12	-	-	-	-	-	V-0	-	-
LS12-25 (a)	25	12	-	-	-	-	-	V-0	-	-
LS2-300 (a)	300	2	-	-	-	-	-	V-0	-	-
LS2-600 (a)	600	2	-	-	-	-	-	V-0	-	-
LS4-200 (a)	200	4	-	-	-	-	-	V-0	-	-
LS4-300 (a)	300	4	-	-	-	-	-	V-0	-	-
LS4-50 (a)	50	4	-	-	-	-	-	V-0	-	-
LS6-125 (a)	125	6	-	-	-	-	-	V-0	-	-
LS6-200 (a)	200	6	-	-	-	-	-	V-0	-	-
LS6-50 (a)	50	6	-	-	-	-	-	V-0	-	-
Sealed cell, lead acid batteries with pressure release vents										
AES7.5-1600, AES8-1600	166	8	-	-	-	-	-	V-0	-	-
BBA-240PLP	240	12	-	-	-	-	-	V-2	-	-
BBA-255PLP	255	12	-	-	-	-	-	V-2	-	-
BBA160RT	160	12	-	-	-	-	-	-	-	-
BBG-165RT	165	12	-	-	-	-	-	-	-	-
BBG-180RT	180	12	-	-	-	-	-	-	-	-
BBG-200RT	200	12	-	-	-	-	-	V-0	-	-
BBG-205RT	205	12	-	-	-	-	-	V-0	-	-
BBG-210RT, BBG-170RT,BBG-190RT,BBG-195RT,BBG-215RT,BBG-220RT,BBG-230RT,BBG-240RT,BBG-165HT,BBG-170HT,BBG-180HT,BBG-190HT,BBG-195HT,BBG-200HT,BBG-205HT,BBG-210HT,BBG-215HT,BBG-220HT,BBG-230HT,BBG-240HT	210	12	-	-	-	-	-	V-0	-	-
BBG-80RT	80	12	-	-	-	-	-	V-0	-	-
BBG-85RT	85	12	-	-	-	-	-	V-0	-	-
BBG200-RT, BBG205-RT, BBG210-RT	-	-	-	-	-	-	-	-	-	-
C&D 12-100 N DNT, UPS 12-100 N MRX	25.1	12	-	-	-	-	-	V-2	-	-
C&D 12-160 N DNT, C&D12-150 DNT, UPS 12-160 N MRX, UPS12-150MRX	38.9	12	-	-	-	-	-	V-2	-	-

Feedback

C&D 12-220 N DNT, UPS12-220 N MRX	56	12	-	-	-	-	-	V-2	-	-
C&D 12-240 N DNT, UPS12-240 N MRX	65.6	12	-	-	-	-	-	V-2	-	-
C&D 12-26 N LBT, MPS 12-26 N	24	12	-	-	-	-	-	V-2	-	-
C&D 12-40 N LBT, MPS 12-40N, CPS 12-40N	36.7	12	-	-	-	-	-	V-2	-	-
C&D 12-65 GEL, C&D 12-65G	75	12	-	-	-	-	-	V-2	-	-
C&D 12-65 N LBT, MPS 12-65N, C&D12-65S LBT, CPS 12-65N, C&D 12-65M LBT, C&D 12-65J LBT, C&D 12-65V LBT, C&D 12-50V LBT	58	12	-	-	-	-	-	V-2	-	-
C&D 12-675A DNT, C&D 12-715A DNT, UPS 12-715 MRX, CPHS 12-675A, C&D 12-675 DNT, C&D 12-675F DNT, C&D 12-700F DNT, C&D 12-675F PLP, C&D 12-700LF PLP, C&D 12-700 DNT, C&D 12-720 DNT, UPS 12-700 MRX, UPS 12-720 MRX	225	12	-	-	-	-	-	V-2	-	-
C&D 12-775A DNT, C&D 12-815A DNT, UPS 12-815 MRX, CPHS 12-775A, C&D 12-775 DNT, C&D 12-775F DNT, C&D 12-800F DNT, C&D 12-775F PLP, C&D 12-800LF PLP, C&D 12-800 DNT, C&D 12-830 DNT, UPS 12-800 MRX, UPS 12-830 MRX	240	12	-	-	-	-	-	V-2	-	-
C&D 12-90 GEL, C&D 12-90G	100	12	-	-	-	-	-	V-2	-	-
C&D12-100 GEL, C&D12-100G	100	12	-	-	-	-	-	V-2	-	-
C&D12-150 GEL, C&D12-150G	150	12	-	-	-	-	-	V-2	-	-
DCS-100, DCS-100L, DCS-100U, DCS-100IT, DCS-100BT, DCS-100ST, VRS12-100, VRS12-100IT, VRS12-100L, VRS12-100BT, , DCS-100UIT, DCS-100BTST	100	12	-	-	-	-	-	V-0	-	-
DCS-100, VRS12-100, VRS12-100NC, VRS12-140NC, AES12-1210	100	12	-	-	-	-	-	-	-	-
DCS-100H, DCS-100HL, DCS-100HU, DCS-100HIT, DCS-100HBT, DCS-100HST, VRS12-100H, VRS12-100HIT, VRS12-100HL, VRS12-100HBT, DCS-100HUHIT, DCS-100HBTHST	100	12	-	-	-	-	-	V-0	-	-
DCS-33, DCS-33L, DCS-33U, DCS-33IT, DCS-33BT, DCS-33ST, VRS12-33, VRS12-33IT, VRS12-33L, VRS12-33BT, DCS-33U IT, DCS-33BTST, ,VRS12-33NC, AES12-390	33	12	-	-	-	-	-	V-2	-	-
DCS-33, VRS12-33, DCS-33UNCR	33	12	-	-	-	-	-	V-2	-	-
DCS-33H, DCS-33HL, DCS-33HU, DCS-33HIT, DCS-33HBT, DCS-33HST, VRS12-33H, VRS12-33HIT, VRS12-33HL, VRS12-33HBT, DCS-33HUHIT, DCS-33HBTHST	33	12	-	-	-	-	-	V-2	-	-

Feedback

DCS-50, DCS-50L, DCS-50U, DCS-50IT, DCS-50BT, DCS-50ST, VRS12-50, VRS12-50IT, VRS12-50L, VRS12-50BT, DCS-50UIT, DCS-50BTST, VRS12-50NC, AES12-600	50	12	-	-	-	-	-	V-0	-	-
DCS-50H, DCS-50HL, DCS-50HU, DCS-50HIT, DCS-50HBT, DCS-50HST, VRS12-50H, VRS12-50HIT, VRS12-50HL, VRS12-50HBT, DCS-50HU HIT, DCS-50HBT, DCS-50HBTHST	50	12	-	-	-	-	-	V-0	-	-
DCS-50L, DCS-50U, VRS12-50	50	12	-	-	-	-	-	-	-	-
DCS-75, DCS-75L, DCS-75U, DCS-75IT, DCS-75BT, DCS-75ST, VRS12-75, VRS12-75IT, VRS12-75L, VRS12-75BT, DCS-75UIT, DCS-75BTST,VRS12-75NC, AES12-900	75	12	-	-	-	-	-	V-0	-	-
DCS-75BT, DCS75-IT, VRS12-75	75	12	-	-	-	-	-	-	-	-
DCS-75H, DCS-75HL, DCS-75HU, DCS-75HIT, DCS-75HBT, DCS-75HST, VRS12-75H, VRS12-75HIT, VRS12-75HL, VRS12-75HBT, DCS-75HUHIT, DCS-75HBTHST	75	12	-	-	-	-	-	V-0	-	-
DCS-88, DCS-88L, DCS-88U, DCS-88IT, DCS-88BT, DCS-88ST, VRS12-88, VRS12-88IT, VRS12-88L, VRS12-88BT, DCS-88UIT, DCS-88BTST, VRS12-88NC, AES12-1060	88	12	-	-	-	-	-	V-0	-	-
DCS-88BT, VRS12-88	88	12	-	-	-	-	-	V-2	-	-
DCS-88H, DCS-88HL, DCS-88HU, DCS-88HIT, DCS-88HBT, DCS-88HST, VRS12-88H, VRS12-88HIT, VRS12-88HL, VRS12-88HBT, DCS-88HUHIT, DCS-88HBTHST	88	12	-	-	-	-	-	V-2	-	-
DCS6-200, VRS6-200, VRS6-200NC, AES12-1200	200	12	-	-	-	-	-	-	-	-
FA150, TEL12-155FG, TEL12-170FG, TEL12-190FG, C&D12-170FLBT, DCS-180FW, VRS12180FW, TEL12-170FGa	150	12	-	-	-	-	-	V-0	-	-
FAM12-100	100	12	-	-	-	-	-	V-0	-	-
FAM12-150 (b), TEL12-150F , TEL12-170F, UPS12-560MRF, DCS12-170FGC, VRS12-160FG	150	12	-	-	-	-	-	V-2	-	-
G27-165	165	12	-	-	-	-	-	V-0	-	-
G29-180	180	12	-	-	-	-	-	V-0	-	-
HPS 12-680, UPS12-675 MRX	225	12	-	-	-	-	-	V-2	-	-
HPS 12-780, UPS12-775 MRX	240	12	-	-	-	-	-	V-2	-	-
HPS12-125	33	12	-	-	-	-	-	-	-	-
HPS12-170	50	12	-	-	-	-	-	-	-	-
HPS12-250	78	12	-	-	-	-	-	-	-	-
HPS12-290	100	12	-	-	-	-	-	-	-	-

Feedback

HPS12-330	-	-	-	-	-	-	-	-	-	-
HPS12-90	24	12	-	-	-	-	-	-	-	-
JC12170	-	-	-	-	-	-	-	-	-	-
JC12240-10	-	-	-	-	-	-	-	-	-	-
JC12240-6	-	-	-	-	-	-	-	-	-	-
JC1265-FR	-	-	-	-	-	-	-	-	-	-
MPS 12-127A, C&D 12-127A LBT, C&D 12-120S LBT, C&D12-120 LBT, MPS12-120, CPS 12-127, C&D 12-120M LBT, C&D12-120J LBT, C&D 12-120V LBT	120	12	-	-	-	-	-	V-2	-	-
MPS 12-12A, C&D 12-12A LBT, C&D 12-12M LBT, 12V 43W, C&D12-12J LBT, C&D 12-43 DNT, UPS 12-43 MRX, C&D 12-12V LBT, C&D 12-12 LBT	12	12	-	-	-	-	-	V-2	-	-
MPS 12-158A, C&D 12-158A LBT, C&D 12-150A LBT, MPS 12-150A, C&D 12-150S LBT, C&D12-150 LBT, MPS12-150, CPS 12-158, CPS 12-150, C&D 12-150M LBT, C&D12-150J LBT, C&D 12-150V LBT	151.3	12	-	-	-	-	-	V-2	-	-
MPS 12-18A, C&D 12-18A LBT, C&D 12-18M LBT, 12V 72W, C&D12-18J LBT, C&D 12-72 DNT, UPS 12-72 MRX, C&D 12-18V LBT, C&D 12-18 LBT	18	12	-	-	-	-	-	V-2	-	-
MPS 12-211A, C&D 12-211A LBT, C&D 12-200A LBT, MPS 12-200A, C&D 12-200S LBT, C&D12-200 LBT, MPS12-200, CPS 12-211, CPS 12-200, C&D 12-200M LBT, C&D12-200J LBT, C&D 12-200V LBT	201.8	12	-	-	-	-	-	V-2	-	-
MPS 12-242A, C&D 12-242A LBT, C&D 12-240S LBT, C&D12-240 LBT, MPS12-240, CPS 12-242, CPS 12-240, C&D 12-240M LBT, C&D12-240J LBT, C&D 12-240V LBT	230	12	-	-	-	-	-	V-2	-	-
MPS 12-26A, C&D 12-26A LBT, C&D12-26S LBT, C&D 12-26M LBT, 12V 100W, C&D12-26J LBT, C&D 12-100S DNT, UPS 12-100S MRX, C&D 12-26V LBT, C&D 12-26 LBT	26	12	-	-	-	-	-	V-2	-	-
MPS 12-40A, C&D 12-40A LBT, C&D12-40S LBT, CPS 12-40, C&D 12-40M LBT, C&D12-40J LBT, C&D 12-40V LBT, C&D 12-40 LBT	40	12	-	-	-	-	-	V-2	-	-
MPS 12-7A, C&D 12-7A LBT, C&D12-7E LBT, 12V 7Ah, C&D 12-7M LBT, 12V 28W, C&D12-7J LBT, C&D 12-28 DNT, UPS 12-28 MRX, C&D 12-7V LBT, C&D 12-7 LBT	7.2	12	-	-	-	-	-	V-2	-	-

Feedback

MPS 12-9A, C&D 12-9ALBT, C&D12-9E LBT, 12V 9Ah, C&D 12-9M LBT, 12V 33W, C&D12-9J LBT, C&D 12-34 DNT, UPS 12-34 MRX, C&D 12-9V LBT, C&D 12-9 LBT, 12V 34W	9	12	-	-	-	-	-	V-2	-	-
MPS12-100, MPS12-114, C&D12-100LBT, C&D12-114LBT, AGM12-100, MPS12-100R, CPS12-100, C&D12-100SLBT, C&D12-100MLBT, CPS12-114, C&D12-110SLBT	114	12	-	-	-	-	-	-	-	-
MPS12-24, MPS12-34, C&D12-34LBT, UPS12-34, HPS12-125	34	12	-	-	-	-	-	-	-	-
MPS12-33, MPS12-36, C&D12-36LBT	36	12	-	-	-	-	-	-	-	-
MPS12-4A, C&D12-4A LBT, C&D12-4E LBT, 12V 4Ah, C&D 12-4V LBT, C&D 12-4 LBT	4	12	-	-	-	-	-	V-2	-	-
MPS12-50, MPS12-54, C&D12-54LBT, HPS12-170, CPS12-54, C&D12-54SLBT, C&D12-50LBT, CPS12-54, C&D12-54S, C&D12-50MLBT	54	12	-	-	-	-	-	-	-	-
MPS12-5A, C&D12-5A LBT, C&D12-5E LBT, 12V 5Ah, C&D12-5.5A LBT, 12V 19W, C&D 12-19 DNT, UPS 12-19 MRX, C&D 12-5V LBT, C&D 12-5 LBT	5	12	-	-	-	-	-	V-2	-	-
MPS12-65, C&D12-65LBT, HPS12-210, CPS12-65, C&D12-65SLBT, C&D12-65MLBT	76	12	-	-	-	-	-	-	-	-
MPS12-75, MPS12-76, C&D12-76LBT, C&D12-65LBT, HPS12-250, MPS12-76R	78	12	-	-	-	-	-	V-0	-	-
MPS12-75, MPS12-78, MPS12-76, C&D12-78LBT, C&D12-76LBT, CPS12-76, C&D12-76SLBT, C&D12-75MLBT, CPS12-76R, MPS12-78R	78	12	-	-	-	-	-	-	-	-
MPS12-88, C&D12-88LBT, AGM12-88, MPS12-88R, CPS12-88, C&D12-88SLBT	100	12	-	-	-	-	-	-	-	-
MR12-150, MR12-150IT	33	12	-	-	-	-	-	V-0	-	-
MR12-210, MR12-210IT	54	12	-	-	-	-	-	V-0	-	-
MR12-300, MR12-300IT	75	12	-	-	-	-	-	V-0	-	-
MR12-350, MR12-350IT	88	12	-	-	-	-	-	V-0	-	-
MR12-400, MR12-400IT	100	12	-	-	-	-	-	V-0	-	-
MR12-490, MR12-540	134	12	-	-	-	-	-	V-0	-	-
SGC12-125	127	12	-	-	-	-	-	V-0	-	-
SGC12-30	30	12	-	-	-	-	-	V-0	-	-
SGC12-45	46	12	-	-	-	-	-	V-0	-	-
SGC12-70	69	12	-	-	-	-	-	V-0	-	-
SGC12-80	79	12	-	-	-	-	-	V-0	-	-

Feedback

SGC12-90	88	12	-	-	-	-	-	V-0	-	-
SHC12-1000FU, UPS12-830F PLP, UPS12-1000F PLP, C&D12-830F PLP, C&D12-250F PLP, UPS 12-8000F PLP, UPS 12-9200F PLP, SHC12-250FT	169	12	-	-	-	-	-	V-0	-	-
SHC12-200FT, AES12-2180F, FA200AES	170	12	-	-	-	-	-	V-0	-	-
SHC12-250FT, AES12-2870F, FA250AES	224	12	-	-	-	-	-	V-0	-	-
SHC12-410FU, SHC12-100FT, UPS12-410MRXF, C&D 12-410 SMT, C&D 12-410F DNT, CPHS12-410, UPS12-410F PLP, C&D 12-410F PLP, C&D12-100F PLP, UPS 12-4200F PLP	87	12	-	-	-	-	-	V-0	-	-
SHC12-615FU, SHC12-150FT, UPS12-615MRXF, C&D 12-615 SMT, C&D 12-615F DNT, CPHS 12-615, UPS12-615F PLP, C&D 12-615F PLP, C&D12-170F PLP, C&D12-150F PLP, UPS 12-6200F PLP, UPS 12-515 MRXF	90	12	-	-	-	-	-	V-0	-	-
SHC12-700FU, SHC12-200FT, UPS12-700MRXF, C&D 12-700 SMT, C&D 12-700F DNT, CPHS 12-700, UPS12-700F PLP, C&D 12-700F PLP, C&D12-200F PLP, UPS 12-6800F PLP, HPS12-700, CPHS12-700	138	12	-	-	-	-	-	V-0	-	-
TEL 12-105 FNSGC, DCS 12-105 FGC, VRS 12-100 FG	87	12	-	-	-	-	-	V-0	-	-
TEL 12-105 TFA, TEL 12-100F HT, TEL 12-100FG HT, C&D 12-100V LBT, TEL12-100 TFA	101	12	-	-	-	-	-	V-0	-	-
TEL 12-115 FNGC, DCS 12-115 FGC, VRS 12-105 FG	90	12	-	-	-	-	-	V-0	-	-
TEL 12-150 TFA, TEL 12-150F HT, TEL 12-150FG HT	147	12	-	-	-	-	-	V-0	-	-
TEL 12-165 TFA, TEL 12-165F HT, TEL 12-165FG HT, TEL 12-170F HT	163	12	-	-	-	-	-	V-0	-	-
TEL 12-170F, TEL 12-170FG, TEL 12-170FGa, TEL12-210F, DCS12-210FGC, VRS12-200FG, TEL12-200FHT, TEL12-210FHT, SGC12-200FHT, SGC12-210FHT, SGC12-210F	230	12	-	-	-	-	-	V-0	-	-
TEL 12-185 TFA, TEL12-190F, TEL 12-185F HT, TEL 12-185FG HT, TEL 12-190F HT	180	12	-	-	-	-	-	V-0	-	-
TEL 12-200 TFA, TEL 12-200F HT, TEL 12-200FG HT, TEL 12-210F HT	192	12	-	-	-	-	-	V-0	-	-
TEL12-105F, -105FS, FAM12-100, UPS12-320MRF, TEL12-105FSHT, TEL12 - 105FHT, TEL12-105FHTG, SGC12-105FSHT, SGC12-105FS	100	12	-	-	-	-	-	V-0	-	-

Feedback

TEL12-105FNS, C&D12-105FLBT, TEL12-105FNSG, SGC12-105FNSGHT, TEL12-105FNSGHT, VR12-100FG, VRS12-105FG	115	12	-	-	-	-	-	V-0	-	-
TEL12-105FNSC, DCS12-115F, VRS12-115F	115	12	-	-	-	-	-	V-0	-	-
TEL12-115FN, C&D12-115FLBT, TEL12-115FNHT, TEL12-115FHT, TEL12-115FHTG, SGC12-115FNHT	125	12	-	-	-	-	-	V-0	-	-
TEL12-115FNC, DCS-125F, VRS12-125F	125	12	-	-	-	-	-	V-0	-	-
TEL12-125, SGC12-125, SGC12-100HT, SGC12-125HT, TEL12-125HT, TEL12-100, TEL12-100HT	125	12	-	-	-	-	-	V-0	-	-
TEL12-145FW, DCS140, VRS12-140, TEL12-145FWHT, SGC12-145FWHT, SGC12-145FW, AES12-1680	160	12	-	-	-	-	-	V-0	-	-
TEL12-145FWC, DCS-160FW, VRS12-160FW	160	12	-	-	-	-	-	V-0	-	-
TEL12-155F	155	12	-	-	-	-	-	V-0	-	-
TEL12-160F, , SGC12-160FHT, SGC12-160F, TEL12-160FHT, TEL12-150FHT	160	12	-	-	-	-	-	V-0	-	-
TEL12-160F, SGC12-160FHT, SGC12-160F, TEL12-160FHT, TEL12-155F, TEL12-155FHT, TEL12-155FHTG, TEL12-150FHT	160	12	-	-	-	-	-	V-0	-	-
TEL12-160FC, DCS-180F, TEL12-155F, VRS12-180F	160	12	-	-	-	-	-	V-0	-	-
TEL12-160FG, C&D12-160FLBT, VRS12-155F, DCS155F, DCS175F, VRS12-155FNC, VRS12-175FNC, AES12-1880F, AES12-2170F	160	12	-	-	-	-	-	V-0	-	-
TEL12-160FGC, DCS-175F, VRS12-175F	160	12	-	-	-	-	-	V-0	-	-
TEL12-160FW, TEL12-160FWHT, SGC12-160FWHT, SGC12-160FW	160	12	-	-	-	-	-	V-0	-	-
TEL12-160FWC, DCS-180FW, VRS12180FW	180	12	-	-	-	-	-	V-0	-	-
TEL12-165FW	165	12	-	-	-	-	-	V-0	-	-
TEL12-165FW, TEL12-160FW, TEL12-160FWHT, SGC12-160FWHT, SGC12-160FW	180	12	-	-	-	-	-	V-0	-	-
TEL12-170FGC, DCS190F, TEL12-190F, FA190, DCS12- 170FGC, VRS12-160FG, TEL12-170FGHT, TEL12-180FG, SGC12-155FHT, SGC12-170FHT, SGC12-170FGHT, SGC12-190FHT, TEL 12-155FG, TEL12-155FHT, TEL12-170FHT, TEL12-170FHTG, TEL12-190FHT	163	12	-	-	-	-	-	V-0	-	-

Feedback

TEL12-180F, TEL12-180FHT, TEL12-180FGHT, VRS12-215FNC, SGC-180FGHT, SGC12-180F, AES12-2530F	160	12	-	-	-	-	-	V-0	-	-
TEL12-180F, TEL12-180FHT, TEL12-180FGHT, VRS12-215FNC, SGC12-180FGHT, SGC12-180F, AES12-2530F	180	12	-	-	-	-	-	V-0	-	-
TEL12-210FG, C&D12-210FLBT	230	12	-	-	-	-	-	V-0	-	-
TEL12-210FG, TEL12-210FGC, C&D12-210FLBT, DCS-230F, VRS12-230F, VRS12-225F, FA200, DCS12-210FGC, VRS12-200FG, TEL12-200FHT, TEL12-200FHTG, TEL12-210FHT, TEL12-210FHTG, SGC12-200FHT, SGC12-210FHT, SGC12-210F, TEL12-170FG	230	12	-	-	-	-	-	V-0	-	-
TEL12-30, TEL12-30HT, TEL 12-30 SLC, SGC12-30	30	12	-	-	-	-	-	V-0	-	-
TEL12-45, TEL12-45HT, TEL 12-45 (SLC), SGC12-45	46	12	-	-	-	-	-	V-0	-	-
TEL12-70, SGC12-70, SGC12-70HT, 135AGM-P, 2HAGM, TEL12-70HT	69	12	-	-	-	-	-	V-0	-	-
TEL12-80, TEL12-80SLC, SGC12-80, SGC12-80HT, TEL12-80HT	79	12	-	-	-	-	-	V-0	-	-
TEL12-90, SGC12-90, SGC12-90HT, TEL12-90HT	88	12	-	-	-	-	-	V-0	-	-
TEL6-180, SGC6-180	176	6	-	-	-	-	-	V-0	-	-
U1-33	33	12	-	-	-	-	-	-	-	-
UPS12-100, UPS12-100FR, UPS12-100MR, UPS12-100MRX, C&D12-100DNT, UPS12-100MRX, HPS12-100	100	12	-	-	-	-	-	V-0	-	-
UPS12-1000MRXF, UPS12-840MRF, UPS12-1000MRF, UPS12-1000FPLP, UPS 12-830 MRXF, C&D 12-1000 SMT, C&D 12-830 SMT, C&D 12-985F DNT, C&D 12-830F DNT	234	12	-	-	-	-	-	V-0	-	-
UPS12-100FR	-	-	-	-	-	-	-	V-2	-	-
UPS12-100MR	-	-	-	-	-	-	-	-	-	-
UPS12-100MRV0, UPS12-100MRXV0, UPS12-130MRXV0, UPS12-150MRXV0	26	12	-	-	-	-	-	V-0	-	-
UPS12-130MRX, C&D12-130DNT, UPS12-130MRX, C&D12-130DNT, HPS12-130	35	12	-	-	-	-	-	V-0	-	-
UPS12-140, UPS12-140FR, UPS12-150MR, MR12-150, MR12-150 IT, UPS12-150MRX, UPS12-150MR, C&D12-150DNT, HPS12-150	33	12	-	-	-	-	-	V-2	-	-
UPS12-150MRV0, UPS12-100MRXV0, UPS12-130MRXV0, UPS12-150MRXV0, CPHS12-100, CPHS12-130,CPHS12-150	36	12	-	-	-	-	-	-	-	-

Feedback

UPS12-170, UPS12-170FR	50	12	-	-	-	-	-	V-2	-	-
UPS12-200	200	12	-	-	-	-	-	-	-	-
UPS12-200FR, MR12-210(IT), UPS12-200MRX, UPS12-210MR, C&D12-200DNT, HPS12-200	54	12	-	-	-	-	-	V-2	-	-
UPS12-210MR, UPS12-200MRX, C&D12-220DNT, UPS12-220MRX, HPS12-220, C&D12-220DNT, HPS12-210	56	12	-	-	-	-	-	V-0	-	-
UPS12-210MR, UPS12-220MRX, C&D12-220DNT, UPS12-220MRX, HPS12-220, C&D12-220DNT, HPS12-210	56	12	-	-	-	-	-	V-2	-	-
UPS12-210MRV0, UPS12-200MRXV0, UPS12-220MRXV0, CPHS12-200, CPHS12-220	56	12	-	-	-	-	-	V-0	-	-
UPS12-300MR, UPS12-280MRX, UPS12-320MRX, UPS12-320MRF, UPS12-280RMRX, UPS12-320RMRX, UPS12-305PLP, C&D-280DNT, C&D-320DNT, HPS12-280, HPS12-320, CPHS12-280, CPHS12-280R, CPHS12-320, CPHS12-320R, UPS12-3300PLP	84	12	-	-	-	-	-	V-0	-	-
UPS12-350MR,UPS12-355PLP, UPS12-370MRX, USP12-370R MRX, CPHS12-370, CPHS12-370R, UPS12-3800PLP, C&D12-370DNT, HPS12-370	102	12	-	-	-	-	-	V-0	-	-
UPS12-400MR, UPS12-405PLP, UPS12-400MRX, UPS12-440MRX, UPS12-170HT, UPS12-180HT, UPS12-190HT, UPS12-200HT, UPS12-205HT, UPS12-210HT, UPS12-215HT, UPS12-220HT, UPS12-225HT, UPS12-230HT, UPS12-240HT, UPS12-245HT, UPS12-250HT, UPS12-255HT, CPHS12-400, HPS12-400, UPS12-4000PLP, CPHS12-440, HPS12-440, UPS12-4300PLP, C&D12-400DNT, C&D12-440DNT, C&D12-490DNT, C&D12-520DNT	109	12	-	-	-	-	-	V-0	-	-
UPS12-475MR, UPS12-475PLP	115	12	-	-	-	-	-	-	-	-
UPS12-490MR, UPS12-495PLP, UPS12-490MRX, UPS12-520MRX, UPS12-475MR, CPHS12-490, HPS12-490, UPS12-4800PLP, CPHS12-520, HPS12-520, UPS12-5300PLP, UPS12-475PLP, TEL12-100HT, UPS12-5400PLP	149	12	-	-	-	-	-	V-0	-	-
UPS12-490MRLP, UPS12-475MRX, CPHS12-475, HPS12-475, UPS12-4700PLP, C&D12-475DNT	149	12	-	-	-	-	-	V-0	-	-

Feedback

UPS12-540MR, UPS12-545-PLP, UPS12-550MRX, UPS12-600MRX, UPS12-630MRX, UPS12-600MR, CPHS12-550, HPS12-550, UPS12-5400PLP, CPHS12-600, HPS12-600, UPS12-5800PLP, CPHS12-630, HPS12-630, UPS12-6300PLP, C&D12-550DNT, C&D12-600DNT, C&D12-630DNT	149	12	-	-	-	-	-	V-0	-	-
UPS12-615MRF, UPS12-700MRF, UPS12-710MRF, UPS12-725MRF, UPS12-750MRF, TEL12-115FNG, HPS12-615MRF, UPS12-410MRF, UPS12-410MRXF, UPS12-355MRF,UPS12-700MRXF, HPS12-700MRF, UPS12-745MRF, UPS12-750PLP, UPS12-615MRXF, UPS12-400MRF, , VRS12-105FG, C&D12-410SMT, C&D12-410FDNT, C&D12-615SMT, C&D12-615FDNT, CPHS12-615	164	12	-	-	-	-	-	V-0	-	-
UPS6-600FR	200	6	-	-	-	-	-	V-2	-	-
UPS6-620, UPS6-620FR, UPS6-620MR	200	6	-	-	-	-	-	V-0	-	-
Sealed cell, lead/calcium - acid (sulfuric) batteries with pressure release vents										
JC12150-10	-	-	-	-	-	-	-	-	-	-
JC12150-6	-	-	-	-	-	-	-	-	-	-
UPS12-700MRF, UPS12-710MRF, UPS12-725MRF, UPS12-750MRF, UPS12-700MRXF, HPS12-700MRF, UPS12-745MRF, UPS12-750PLP, UPS12-605PLP, UPS12-745FPLP, UPS12-705PLPF, C&D12-700SMT, C&D12-700FDNT, CPHS12-700	215	12	-	-	-	-	-	-	-	-

(a) - The suffix P may be added to the series number.

(b) - The first hyphen in all model numbers is optional.

Marking: Company name or tradename "C& D", "C& D TECHNOLOGIES" and model designation and the Recognized Component Mark, .

并不是所有出现在本数据库中的公司名称和产品都满足了UL 跟踪检验服务的要求。只有带有 UL 标志的产品，才应该被视为经过UL认证，并满足UL 跟踪检验服务的要求。注意查看产品上的标志。

UL 允许在线认证目录中所含材料的复制遵循以下条件：1.指南信息、装配、构造、设计、系统和/或认证（文件）必须在不篡改任何数据（或图纸）的情况下完整且无误导性地呈现。2.“经 UL 允许从在线认证目录转载”声明必须出现在所摘取材料的邻近位置。此外，转载材料必须包含以下格式的版权声明： "©2023 UL LLC."

Feedback